

092 BAROMETER PRESSURE SENSOR

- **COMPACT SIZE**
- **WEATHERPROOF ENCLOSURE**
- **DIGITAL AND ANALOG OUTPUTS**
- **PERMANENT CALIBRATION;
NO SERVICE REQUIRED**
- **CUSTOMER CONFIGURED OUTPUT**



*Barometer
Pressure Sensor
Model 092*

The 092 Barometric Pressure Sensor measures absolute atmospheric pressure and converts it into a linear, proportional voltage, using digital computer technology.

The 092 features robust, low maintenance construction that will withstand a wide-range of adverse weather conditions, and consistently collects reliable barometric pressure data.

OPERATION

The enclosure of the 092 sensor houses a solid-state pressure transducer, with linearization and amplification instruments, and a low power embedded CPU.

The standard range of the 092 is 600 to 1100 hPa, which makes it suitable for elevations sea level to 10,000 ft. Other ranges can be configured with DIP switches on the board of the barometer. The digital range is always 600 to 1100 hPa.e.

CONSTRUCTION

- The 092 is contained within a small polycarbonate enclosure with metal weather shield. It may be mounted outside or inside a building
- Small inlet holes allow the atmospheric pressure access to the sensing element

THE STANDARD
OF MEASUREMENT

BELFORT INSTRUMENT
www.belfortinstrument.com

BAROMETER PRESSURE SENSOR

Model 092

SPECIFICATIONS

PERFORMANCE CHARACTERISTICS

Range:	600 to 1100 hPa (17.72 to 32.48 inch/hg)
Elevation:	Sea level to 10,000 ft. (3048 m)
Resolution:	0.1 hPa
Temp. Operating Range:	-40°C to 55°C (-40°F to 131°F)
Temp. Compensated Range:	-40°C to 55°C (-40°F to 131°F)
Accuracy:	±0.35 hPa @ 20°C (68°F) ±1.0 hPa (±0.03 in Hg) over full range or ±0.5 hPa over any 200 hPa range
Long Term Stability:	±1.0 hPa in 1 year

ELECTRICAL CHARACTERISTICS

Analog Output:	0-1, 0-2, 0-2.5 or 0-5 VDC (Analog output automatically adjusts from zero to full scale for range selected)
Digital Output:	RS-232, RS-485 & SDI-12
Digital Protocol:	ASCII Terminal Mode RTU for RS-232 and RS-485
Baud Rates:	1200, 2400, 4800, 9600, & 19.2K
Power Requirement:	10 mA @ 12 VDC, Typical
Power Range:	6-16 VDC

PHYSICAL CHARACTERISTICS

Weight:	8.8 oz. (250 g)
Dimensions:	4.72 x 3.14 x 2.16 in (120 x 80 x 55 mm)

CABLE

PN 1169	Cable Assembly; specify length in feet or meters
---------	---

Specifications are subject to change at any time.



Belfort Instrument Company
727 South Wolfe Street
Baltimore, Maryland 21231 USA
TEL: 410-342-2626 • FAX: 410-342-7028
www.belfortinstrument.com